

Public Sub Main (Starts program) 200

Private Sub
ProcessCommandLine
(parse the command line for meeting text)
210

Private Function CreateStopList (Prepares global stop list) 220 Public Sub
CreatePatterns
(Prepares all the patterns for pattern match)
230

Public Sub GoBackgroundFinder (Wrapper Function) 240

Public Function
ParseMeetingText
(Extracts keywords from meeting record)
250

Public Function
GoPatternMatch
(Initiates pattern matching)
260

C

Ĩ,

40

맫녆

맦

Ĩ.

Lï

Ľ,

q:i

Public Function SearchAltaVista (Parse Results) 270


Public Function SearchNewsPage (Query and Parse Results) 275


Private Function
ConstructOverallResult
(Prepares data)
280


Public Sub
ConnectAndTransferToMunin
(Sends data to Munin)
290


Built-In Function Winsock.SendData (Sends data through UDP) 295


Public Sub
DisconnectFromMuninAndQuit
(Once data is sent, clean program and exit)
297




















Figure 10B




Figure 11: Retrieve User-Centric Content




Figure 12: User Profile Data Model




Figure 13: Persona Data Model






Figure 14: Intention Data Model





men that the tree of the last take

ļ,,Ł

ļuk

THE REAL PROPERTY.

ing.

ļ.i.

Figure 17





Figure 18



AND THE PERSON AND THE PERSON

The sun time

1,12

1:4

ļ:#




FIGURE 20






FIGURE 21




FIGURE 22




FIGURE 23





Figure 24

Figure 25

ment that and that the first that



1. 60

These and the state of the stat

that that that the the

Figure 26